

# EAST Search History

10/756,123

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	709/200.ccls. and (pipe\$1line near3 configur\$5) and (java) and GUI and window	US-PGPUB; USPAT	OR	OFF	2008/01/18 23:39
L2	2	712/1.ccls. and (pipe\$1line near3 configur\$5) and (java) and GUI and window	US-PGPUB; USPAT	OR	OFF	2008/01/18 23:39
L3	9	709/200.ccls. and (data nea2 pipe\$1line) and (java with class) and GUI and window and @ad < "20040112"	US-PGPUB; USPAT	OR	OFF	2008/01/18 23:40
L5	0	712/1.ccls. and (data nea2 pipe\$1line) and (java with class) and GUI and window and @ad < "20040112"	US-PGPUB; USPAT	OR	OFF	2008/01/18 23:40
L6	8	"712"/\$.ccls. and (data nea2 pipe\$1line) and (java with class) and GUI and window and @ad < "20040112"	US-PGPUB; USPAT	OR	OFF	2008/01/18 23:41
L7	0	"712"/\$.ccls. and (data near2 pipe\$1line) and (java with class) and GUI and window and @ad < "20040112"	US-PGPUB; USPAT	OR	OFF	2008/01/18 23:41
S1	33	("6208990" or "6499036" or "6449619" or "6339775" or "6327587" or "6067542" or "5937415").pn. or "20020078015" or ("6553366" or "6549910" or "6636860" or "6708164" or "6789096" or "7007029").pn. or "20050154696"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/18 14:11
S2	15	("6208990" or "6499036" or "6449619" or "6339775" or "6327587" or "6067542" or "5937415" or "6553366" or "6549910" or "6636860" or "6708164" or "6789096" or "7007029").pn. or "20050154696" or "20020078015"	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:35
S3	15	("6208990" or "6499036" or "6449619" or "6339775" or "6327587" or "6067542" or "5937415" or "6553366" or "6549910" or "6636860" or "6708164" or "6789096" or "7007029").pn. or "20050154696" or "20020078015"	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:36
S4	0	S3 and (pipe\$1line near3 configur\$5)	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:36

## EAST Search History

S5	1	S3 and (pipe\$1line with configur\$5)	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:38
S6	14	("6208990" or "6499036" or "6449619" or "6339775" or "6327587" or "6067542" or "5937415" or "6553366" or "6549910" or "6636860" or "6708164" or "6789096" or "7007029").pn. or "20020078015"	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:36
S7	9	S3 and (pipe\$1line )	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:37
S8	3	S3 and (pipe\$1line and configur\$5)	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:37
S9	2	S6 and (pipe\$1line and configur\$5)	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:38
S10	0	S6 and (pipe\$1line and configur\$5) and java	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:38
S11	1245	"712"/\$.ccls. and (pipe\$1line with configur\$5)	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:48
S12	773	"712"/\$.ccls. and (pipe\$1line near3 configur\$5)	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:48
S13	4	"712"/\$.ccls. and (pipe\$1line near3 configur\$5) and (java with class)	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:49
S14	0	"712"/\$.ccls. and (pipe\$1line near3 configur\$5) and (java with class with reflection)	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:49
S15	2	"712"/\$.ccls. and (pipe\$1line near3 configur\$5) and (java) and GUI and window	US-PGPUB; USPAT	OR	OFF	2008/01/18 17:33
S16	1	"712"/\$.ccls. and (pipe\$1line near3 configur\$5) and (java) and GUI and window and @ad < "20040112"	US-PGPUB; USPAT	OR	OFF	2008/01/18 17:33
S17	45	(pipe\$1line near3 configur\$5) and (java) and GUI and window	US-PGPUB; USPAT	OR	OFF	2008/01/18 23:38
S18	9	(pipe\$1line near3 configur\$5) and (java) and GUI and window and @ad < "20040112"	US-PGPUB; USPAT	OR	OFF	2008/01/18 23:31
S19	4	(pipe\$1line near3 configur\$5) and (java with class) and GUI and window and @ad < "20040112"	US-PGPUB; USPAT	OR	OFF	2008/01/18 17:34
S20	0	(data near2 pipe\$1line near3 configur\$5) and (java with class) and GUI and window and @ad < "20040112"	US-PGPUB; USPAT	OR	OFF	2008/01/18 17:34

## EAST Search History

S21	1	(data near5 pipe\$1line near3 configur\$5) and (java with class) and GUI and window and @ad < "20040112"	US-PGPUB; USPAT	OR	OFF	2008/01/18 17:35
S22	1	(data with pipe\$1line with configur\$5) and (java with class) and GUI and window and @ad < "20040112"	US-PGPUB; USPAT	OR	OFF	2008/01/18 17:37
S23	790	(data nea2 pipe\$1line) and (java with class) and GUI and window and @ad < "20040112"	US-PGPUB; USPAT	OR	OFF	2008/01/18 23:40
S24	1	(data adj pipe\$1line) and (java with class) and GUI and window and @ad < "20040112"	US-PGPUB; USPAT	OR	OFF	2008/01/18 17:39
S25	1	(data adj pipe\$1line) and (java with class) and GUI and window and @ad < "20040112" and configur\$5	US-PGPUB; USPAT	OR	OFF	2008/01/18 17:50